



AlluGuard Roller Garage Doors





AlluGuard

Quality Garage Doors



Trusted and Quality Assured.

Choosing a product for your home as important as a garage door is not something you do very often. Perhaps only once or twice in a lifetime! AlluGuard insulated roller garage doors are quality assured, built to last and packed full of clever features...

Designed and manufactured in the UK.



Why Choose AlluGuard?



Convenient electric operation

with a powerful yet quiet motor concealed within the barrel and a manual override that keeps your door operational in case of power failure.



They take up less space

than any other garage door, rolling up into a compact space with no tracks projecting into the garage.



Weather proof

design with insulated slats, helps keep the weather out (and keeps the heat in) so your garage is no longer a draughty no-go area.



Make extra space

by fitting behind the opening, giving you a wider and taller opening. Vertical opening means the door doesn't project out onto your drive or into the garage space, allowing you to park up to the door inside and out.



They are covered by fair warranties

AlluGuard roller doors are covered by a comprehensive warranty of up to two years.



They look simply stunning

The gentle curve and the subtle lines of each slat are finished in a tough polyester powder coating to create an overall look that is classic and contemporary in equal measure.



They are quality assured & safe

Every door is manufactured to our ISO 9001 certified quality systems and UKCA marked and safety compliant.



Whats the Difference ?

Similar features only smaller!

The AlluGuard 55 uses a smaller slat than the AlluGuard 77 that allows it to roll tighter requiring less space at the top of the door. It's the ideal choice when headroom is especially limited...



AlluGuard 77





Fully Insulated & Finished to Perfection

AlluGuard is designed to give thermal and acoustic insulating properties much higher than the average garage door. 'CFC' free polyurethane foam within the aluminium lath plus high performance weather sealing ensures good insulation. It's perfect if you want to use your garage as a work/play room or your garage is under a bedroom. The corrosion resistant aluminium laths are light yet strong and can be finished in a stunning range of colours.

Security Matters

Bikes, fitness equipment, tools whatever you keep in your garage in addition to your car, it's always a surprise when you add up the value - often several thousand pounds! The AlluGuard 77 offers excellent security thanks to a powerful motor that holds the curtain locked when closed and strong locking straps that prevent forced lifting of the door.



The extruded aluminium bottom slat adds extra strength to resist forcing.



Heavy duty extruded aluminium guides secure the door at the sides.

Convenience.

No Wasted Space

Roller garage doors operate vertically, rolling into a compact coil within the garage, above the opening. Not only does this mean you can park right up to the garage door, but valuable space is not taken up inside your garage which could be used for storage.

Takes Up Less Space

Because it rolls 'tighter' than other roller doors, AlluGuard takes up less headroom when open - just 300 mm for the AlluGuard 77 and even less for the AlluGuard 55 at 205 mm. The door typically sits behind the brickwork, allowing any existing frame to be removed. The compact side runners and increased drive-through space give you much more room to manoeuvre in and out of your garage. Doors can even be fitted externally where headroom is extremely limited.

Good Looks Inside & Out

The outside of the door is simply stunning, the inside equally impressive. AlluGuard garage doors come with stylish white, black or anthracite guides as standard and the optional box cover gives an incredibly neat and compact finish - with no wasted space inside your garage!



Extra drive through width of up to six inches - 150 mm helps keep your wing mirrors unmarked!



The neat inside is made even tidier with the option of a box to house the door roll.



Colours.

A Wide Choice of Finishes

AlluGuard's wide choice of finishes ensure your new garage door not only looks good for years to come, but also complement the look of your home.



The door curtain

The door curtain is available in any of the corrosion-resistant colours shown opposite, for a durable finish that lasts.



The door guides

The guides are supplied in white, black or anthracite as standard, for a sleek and stylish look.



The door roll box

Doors are supplied without a roll box as standard but are available as an option with a half or full roll box. These are finished to match the door guides.



The standard configuration is with no roll box.



The half box option helps prevent debris dropping onto the door roll.




The full box option encloses the door roll for a very neat installation.


AlluGuard 77

AlluGuard 55


Standard Colours



White RAL 9016



Black RAL 9005




Anthracite RAL 7016


Premium Colours (surcharge applies)



Brown RAL 8014




Chartwell Green



Navy Blue RAL 5011



Burgundy RAL 3004



Light Beige BS 08B17




Fir Green RAL 6009




Ivory RAL 1015



Agate Grey RAL 7038




Silver Metallic RAL 9006




Dark Brown RAL 8019




Moss Green RAL 6005



Cream White RAL 9001



Graphite *




Slate Grey RAL 7015 *



Duck Egg Blue *



Irish Oak *



Golden Oak *



Rosewood *


Woodgrain Laminates (surcharge applies)




White Laminate *



Black Laminate *



Anthracite Laminate *




Rosewood Laminate



Irish Oak Laminate *



Golden Oak Laminate



Mahogany Laminate

*Only available on AlluGuard 77

The printing process does not allow exact reproduction of the colours. Colour references quoted are the nearest standard RAL. They will not be an exact match and are intended as a guide only.

Effortless Performance

Remote control makes using your door effortless and secure. No need to get out of your car on a wet and windy night! With two handsets supplied with every Remote Controlled door, garage door access has never been so easy and affordable.

Controls to Suit You

With a range of controls available, choosing the ideal way to operate your doors couldn't be easier.

All AlluGuard Remote Controlled Garage Doors come with:

- Wireless or wired control unit
- 2 keyfob transmitters
- Safety edge



Safety Edge

Peace of mind protection for you and your family. The doors' bottom edge rubber seal incorporates an optical sensor along its length to detect obstructions and instantly stop and reverse the door a short distance when closing.



Our Best Value Garage Door

If you don't use your garage door very often or your garage is mainly accessed via an internal door, the Switch Operated AlluGuard is the ideal budget-friendly choice.

With an indoor hold to run control, simply press and hold one button to open the door and hold one button to close. For easy access from outside the garage, opt for an outdoor key switch instead.


Or enjoy the convenience of both indoor and outdoor control by combining the Genesis control unit with an outdoor key switch.



Indoor Rocker Switch



Outdoor Key Switch



Genesis Control Unit

It must only be possible to operate the hold-to-run control in direct sight of the door.

Door Hardware Federation



Teleco Simple

The Teleco Simple wired control unit makes operating your door easy and safe. Featuring push buttons to operate the door, an auto time close function and the option to set-up a safety edge exclusion zone 50 mm from the floor, ensuring full closure each time, even on uneven surfaces. Supplied with two 2-channel handsets.



Teleco Wireless

The Teleco wireless control unit offers all the features of the Simple, but also gives you a neater finish with no wires inside the garage, the added convenience of a courtesy light and GSM compatibility. Supplied with two 2-channel handsets.



Somfy Rollixo

The Rollixo RTS wireless or wired control unit is supplied with AlluGuard's wireless or wired safety edge for complete safety protection at the door's bottom edge. It comes with two stylish 4-channel remote controls and includes an integrated courtesy light, buttons to operate the door and a built-in security alarm. The Rollixo is compatible with a wide range of Somfy accessories including Somfy's clever smart home solution – the TaHoma Switch.

Options and Accessories.

Insulated roller garage doors are wonderfully simple in everyday use thanks to smart technology.



Curtain roll box

Half and full boxes are available to suit AlluGuard 77 doors. Either option will take up 300 mm headroom on top of the guide height. AlluGuard 55 doors are supplied with half box as standard. Both half or full box has 205 mm headroom on top of the guide height.



Manual exterior release

For use in emergencies or in the event of power failure. Allows the door to be opened manually from outside the garage - essential if the garage has no other entry point. The exterior override can be fitted through the wall, or the door's guide if the door is fitted within the opening, and includes a lockable cover.



Lockable override cover

A lockable cover to protect the manual override access point on externally fitted doors.



The AlluGuard Safety Standard

Safety always comes first at AlluGuard. All our products carry a UKCA mark and have been independently tested for safe operation and compliance with legislation to BS EN 13241:2003 and A2:2016.



Safety – UKCA Marking

High winds and high temperatures on double doors can cause increased deflection of the door. It is the installer's responsibility to ensure that the door is spaced off the wall sufficiently to allow for door movement during these extreme weather conditions.

Darker coloured double doors that are exposed to significant direct sunlight may be susceptible to expansion which may interfere with the operation of the door.

Whilst the garage door profiles are primed and coated for the external environment – any doors fitted in coastal environments may be at risk of deterioration due to the weather conditions. Ensure you keep your door clean and follow the instructions for cleaning the door in the operating and maintenance instructions.

The nature of roller garage doors means marking may appear on the internal side of the slats over time. Occasionally some marking may occur at the top of the concave (coil) side of the curtain over time. This is unavoidable and due to prolonged contact with the locking system. On doors which are installed externally this will be visible on the outside.

Peace-of-Mind Warranties


AlluGuard roller garage doors are guaranteed against any form of manufacturing defect with a parts only warranty for a period of 2 years from the date of original purchase. AlluGuard roller garage doors' exterior finish is guaranteed to provide an effective weatherproof membrane that will resist perforation of the substrate from the weather side due to corrosion for a period of 2 years. Externally fitted reverse roll AlluGuard roller garage doors will resist perforation of the substrate from the weather side due to corrosion for a period of 1 year. Colour change or fade to the exterior surface will be limited and uniform during the guarantee. AlluDrive motors and the Genesis, Teleco Simple and Teleco Wireless control unit are guaranteed for a period of 2 years from the date of purchase. Somfy motors and the Rollixo control unit are guaranteed for a period of 5 years from the date of purchase. Guarantees are subject to conditions – please visit www.alluguard/warranty for full details.

Important Information

AlluGuard roller garage doors are guaranteed against any form of manufacturing defect with a parts only warranty for a period of 2 years from the date of original purchase. AlluGuard roller garage doors' exterior finish is guaranteed to provide an effective weatherproof membrane that will resist perforation of the substrate from the weather side due to corrosion for a period of 2 years. Externally fitted reverse roll AlluGuard roller garage doors will resist perforation of the substrate from the weather side due to corrosion for a period of 1 year. Colour change or fade to the exterior surface will be limited and uniform during the guarantee. AlluDrive motors and the Genesis and Teleco Simple units are guaranteed for a period of 2 years from the date of purchase. Guarantees are subject to conditions – please visit www.alluguard/warranty for full details.

Other products C&P Group offer...

C&P Group manufactures domestic and commercial outdoor living solutions as well as a wide range of high quality security products since 2006. We're product to be the only dedicated manufacturer to the trade only.



Based at our factory in Wimbledon, London, we offer a wide range of bespoke products along with a wealth of experience in the physical security market and a passion for quality and service.

Each product is custom made and everything can be tailored to fit the exact requirements of the customer. With a state of the art powder coating oven and spray back booth, we can powder coat to our customers' specification, in house, saving our customers time and money.



020 8545 0404
candp-group.co.uk
sales@candp-group.co.uk

C and P Group, 1 Lyon Road, Wimbledon SW19 2RL