



Conveniently stored,  
peace of mind  
security.



# Introduction

## C&P Security offer a wide range of collapsible gates to meet all customer needs.

Our most popular range is the London Gate, which is bottom wheel, fully retractable, custom built for any opening, smooth running, lightweight, with elegant good looks and the option of either an X or S type lattice.

These gates are manufactured to keep intruders out and maximum light in.

Windows and doors can be left open while the collapsible gate is fully locked. When not in use the collapsible gate can be pushed back out of sight.

The top hung range will offer all of the above but with a special wheel design which is concealed in the top track.

This gate is also available with a small 20 mm bottom track.

Our Level 1 Collapsible Gate is insurance approved and has been tested to meet the standards of LPS 1175 security rating classification 1.

Collapsible gates can be fitted inside and out and in a wide range of applications:

















- Domestic
- Commercial
- Retail
- Counter tops
- Bars
- Cabinets

## Best of Both

With various options available, C&P Security have all your needs covered.

All this from a collapsible gate:

- Bottom wheel or top hung.
- X lattice or S lattice.
- 2-point hook bolt locking and 4 point hook bolt locking available.
- Standard locking or euro locking.

|   |               |                     |   |
|---|---------------|---------------------|---|
|    | Bottom Wheel  | Top Hung            |    |
|    | London Gate   | 1001 Gate (Level 1) |    |
|   | X Lattice     | S Lattice           |   |
|  | Reveal Fix    | Face Fix            |  |
|  | Euro Locking  | Standard Locking    |  |
|  | Half Euro     | Full Euro           |  |
|  | Single Gate   | Bi-Part Gate        |  |
|  | Lift Up Track | Removable Track     |  |


## Powder Coating

Available in a full range of RAL colours



# Rows of Lattices & Lock Positions

High



Low




HEIGHT UP TO: 999 mm

ROWS OF LATTICE: 1

STANDARD LOCK POSITION: LOW / HIGH

Middle




HEIGHT UP TO: 1000-1599 mm

ROWS OF LATTICE: 2

STANDARD LOCK POSITION: MIDDLE

High



Low




HEIGHT UP TO: 1600-2099 mm

ROWS OF LATTICE: 3

STANDARD LOCK POSITION: MID LOW / MID HIGH

High



Middle



Low




HEIGHT UP TO: 2100-2699 mm

ROWS OF LATTICE: 4

STANDARD LOCK POSITION: LOW / MIDDLE / HIGH

High



Middle High



Middle Low



Low



HEIGHT UP TO: 2700-3500 mm

ROWS OF LATTICE: 5

STANDARD LOCK POSITION: LOW / LOW MIDDLE / MID HIGH / HIGH



## Peace of mind for your home.

Designed to let maximum light and ventilation in whilst keeping intruders out, our C&P Collapsible Gates are the perfect solution for domestic applications.

When not in use these retractable gates are surprisingly unobtrusive. Fitted to the door or window surround, they can disappear neatly behind curtains, maintaining the aesthetic appeal of your home.

Landlords are also opting for the collapsible gate as emergency access is paramount from basement rooms. Bulky steel grilles fitted internally or externally are no longer desirable, as window maintenance is much easier with a collapsible gate.

### DOMESTIC APPLICATIONS:

- Houses
- Flats
- Bungalows
- Vulnerable ground floor windows or doors
- Basements
- Caravans
- Outbuildings
- Sheds



Protecting your businesses.

Galvanised for corrosion resistance and powder coated, our C&P Collapsible Gates make an exceptionally strong security barrier, perfect for commercial and retail applications.

Not only do our gates act as a strong barrier to a potential intruder, they also blend in well and can enhance the look of a plain window.

The fully retractable system is exceptionally safe and easy to handle with a smooth, quiet operation to minimise noise disturbance.

Our collapsible gates can be custom built for any opening, as the width can be accommodated in sections.


#### COMMERCIAL APPLICATIONS:

- Offices
- Schools
- Colleges
- Universities
- Shops
- Warehouses
- Industrial units
- Underground stations
- Car parks



# Specification



## Security Gates Bunch Sizes (mm)



**NOTE:** All clear opening sizes for single sash gates allow for the slam post.

For hinge aside gates the bunch size is increased by a further 30 mm per sash.

**NOTE:** Folding tracks with a length of 600 mm or more are supplied with a retaining pin as standard. This is located between 488 mm and 568 mm from the ground regardless of track length. **The retaining pin projects 60 mm beyond the lock post when the track is lowered and 30 mm when raised.** If the width of the gate is greater than the height check that there will be sufficient room for the bottom track to fold up into.



**UNEVEN SASHES:** On double sash gates, the sashes can be split with the majority opening to one side, useful where there is a preference or a limited space at one side of the aperture to accommodate the retracted sash.

## Bunch Sizes (mm)

| OVERALL GATE WIDTH 'A' | SINGLE SASH           |                         | DOUBLE SASH               |                         |
|------------------------|-----------------------|-------------------------|---------------------------|-------------------------|
|                        | SINGLE SASH BUNCH 'B' | CLEAR OPENING WIDTH 'C' | DOUBLE SASH PER BUNCH 'D' | CLEAR OPENING WIDTH 'E' |
| 250                    | 110                   | 78                      | 110                       | 30                      |
| 300                    | 110                   | 128                     | 110                       | 80                      |
| 350                    | 110                   | 178                     | 110                       | 130                     |
| 400                    | 126                   | 212                     | 110                       | 180                     |
| 450                    | 126                   | 262                     | 110                       | 230                     |
| 500                    | 142                   | 296                     | 110                       | 280                     |
| 600                    | 142                   | 396                     | 110                       | 380                     |
| 700                    | 158                   | 480                     | 126                       | 448                     |
| 800                    | 174                   | 564                     | 126                       | 548                     |
| 900                    | 190                   | 648                     | 142                       | 616                     |
| 1000                   | 190                   | 748                     | 142                       | 716                     |
| 1100                   | 206                   | 832                     | 142                       | 816                     |
| 1200                   | 222                   | 916                     | 158                       | 884                     |
| 1300                   | 238                   | 1000                    | 158                       | 984                     |
| 1400                   | 238                   | 1100                    | 158                       | 1084                    |
| 1500                   | 254                   | 1184                    | 174                       | 1152                    |
| 1600                   | 270                   | 1268                    | 174                       | 1252                    |
| 1700                   | 286                   | 1352                    | 190                       | 1320                    |
| 1800                   | 302                   | 1436                    | 190                       | 1420                    |
| 1900                   | 302                   | 1536                    | 190                       | 1520                    |
| 2000                   | 334                   | 1604                    | 206                       | 1588                    |
| 2100                   | 350                   | 1688                    | 206                       | 1688                    |
| 2200                   | 366                   | 1772                    | 222                       | 1756                    |
| 2300                   | 366                   | 1872                    | 222                       | 1856                    |
| 2400                   | 382                   | 1956                    | 222                       | 1956                    |
| 2500                   | 398                   | 2040                    | 238                       | 2024                    |
| 2600                   | 414                   | 2124                    | 238                       | 2124                    |
| 2700                   | 414                   | 2224                    | 238                       | 2224                    |
| 2800                   | 430                   | 2308                    | 254                       | 2292                    |
| 2900                   | 446                   | 2392                    | 254                       | 2392                    |
| 3000                   | 462                   | 2476                    | 270                       | 2460                    |
| 3100                   | 478                   | 2560                    | 270                       | 2560                    |
| 3200                   | 478                   | 2660                    | 270                       | 2660                    |
| 3300                   | 494                   | 2744                    | 286                       | 2728                    |
| 3400                   | 510                   | 2828                    | 286                       | 2828                    |
| 3500                   | 526                   | 2912                    | 302                       | 2896                    |
| 3600                   | 526                   | 3012                    | 302                       | 2996                    |
| 3700                   | 542                   | 3096                    | 302                       | 3096                    |
| 3800                   | 558                   | 3180                    | 334                       | 3132                    |
| 3900                   | 574                   | 3264                    | 334                       | 3232                    |
| 4000                   | 574                   | 3364                    | 334                       | 3332                    |
| 4100                   | 606                   | 3432                    | 350                       | 3400                    |
| 4200                   | 622                   | 3516                    | 350                       | 3500                    |
| 4300                   | 638                   | 3600                    | 366                       | 3568                    |
| 4400                   | 654                   | 3684                    | 366                       | 3668                    |
| 4500                   | 654                   | 3784                    | 366                       | 3768                    |
| 4600                   | 670                   | 3868                    | 382                       | 3836                    |
| 4700                   | 686                   | 3952                    | 382                       | 3936                    |
| 4800                   | 702                   | 4036                    | 398                       | 4004                    |
| 4900                   | 702                   | 4136                    | 398                       | 4104                    |
| 5000                   | 718                   | 4220                    | 398                       | 4204                    |
| 5100                   | 734                   | 4304                    | 414                       | 4272                    |
| 5200                   | 750                   | 4388                    | 414                       | 4372                    |
| 5300                   | 750                   | 4488                    | 414                       | 4472                    |
| 5400                   | 766                   | 4572                    | 430                       | 4540                    |
| 5500                   | 782                   | 4656                    | 430                       | 4640                    |
| 5600                   | 798                   | 4740                    | 446                       | 4708                    |
| 5700                   | 814                   | 4824                    | 446                       | 4808                    |
| 5800                   | 814                   | 4924                    | 446                       | 4908                    |
| 5900                   | 830                   | 5008                    | 462                       | 4976                    |
| 6000                   | 846                   | 5092                    | 462                       | 5076                    |

**PLEASE NOTE:** The clear opening widths detailed above apply to retractable gates with fixed tracks. If the gate requires folding bottom tracks or the hinge aside option (with or without folding bottom tracks) you will need to add 60 mm per bunch to the bunch sizes above.

**\*Please ask for details on widths greater than 6 m**


## Sizes (mm)

| Sizing     | 1001 GATE   |             |
|------------|-------------|-------------|
|            | Single Sash | Double Sash |
| Min Width  | 500         | 1000        |
| Min Height | 1000        | 1000        |
| Max Width  | 3000        | 6000        |
| Max Height | 3000        | 3000        |

| Sizing     | LONDON GATE |             |
|------------|-------------|-------------|
|            | Single Sash | Double Sash |
| Min Width  | 350         | 700         |
| Min Height | 500         | 500         |
| Max Width  | *3000       | *6000       |
| Max Height | 3500        | 3500        |

| WEIGHT               |
|----------------------|
| 19 kg/m <sup>2</sup> |

| LOCK HOOKS             |                                |
|------------------------|--------------------------------|
| Gate Height Range (mm) | Number of lock hooks available |
| 1000+                  | 2 (4 optional)                 |
| 1000-500               | 2                              |
| 500-350                | Fixed Panel                    |



**\*NOTE:** The London Gate can accommodate an unlimited width with multiple sashes. Sashes are made in single pieces up to 2 m wide. Larger sizes are made in sections for assembly on site, ensuring the weight of each section can be handled safely. Gates which are wider than 4 m will be supplied with the top track in two pieces, the split will be in the middle. Where two split sashes meet two pickets are joined together using bolts and fixing plates supplied loose (see illustration above). **PLEASE NOTE:** Level 1 Gate not available in Hinge A Side. Euro Locking – add on 30 mm for locking post.




# Specification

## Terminology


The following lists the preferred terminology applied to our gates (in grey, on the left of the table) and alternatives which are also in common use:

|                     |  |
|---------------------|--|
| SASH                | Bunch / Stack / Hand   |
| TOP TRACK           | Top runner / Top Rail / Top Guide  |
| FOLDING TRACK       | Lift up / Hinge (should not be used – can be confused with the hinge aside option) |
| REMOVABLE TRACK     | Lift Out / Lift Off  |
| HINGE ASIDE         | Hinging Sash / Swinging Sash / Fold Back   |
| C-SIDE FIXING FRAME | C-Side / Reinforcing for Top Track / Strengthening for Top Track                   |
| REVEAL FIXED        | Between Walls / Recess   |
| FACE FIXED          | Surface Mounted / Plant On   |
| BI-PARTING          | Double / Double Draw / Split   |
| KEYED ALIKE         | Suited / Same  |
| PICKET              | Upright  |


## Reveal Fix Front Elevation




## Face Fix Front Elevation




## Track Profiles




Top Track




Fixing Frame




Bottom 'W' Track



Low profile Bottom 'T' Track  
Low security option SecuroGuard 1000 only



Lock Post



Picket



# London Collapsible Gate

**ORDER FORM**  
 Tel: 0208 545 0404  
 Email: sales@candpsecurity.co.uk

|                                     |              |                  |                    |
|-------------------------------------|--------------|------------------|--------------------|
| Customer                            | Order date   | Delivery address | Purchase order no. |
| Order placed by<br>(block capitals) | Delivery w/c |                  | Customer/job ref.  |
| Application<br>(brief description)  |              | POSTCODE         | Quote ref.         |
| SECURROGUARD                        |              |                  | FQ                 |

| ITEM | QTY | OVERALL WIDTH (mm) | OVERALL HEIGHT (mm) | WINDOW (W) OR DOOR (D) | COLOUR | SECURITY LEVEL | LATTICE | BUNGH* | HINGE ASIDE** | BOTTOM TRACK         | LOCKTYPE      | LOCK POSITION *      | Drilling*         | PRICE (£)        |      |          |         |     |     |      |       |         |  |  |  |
|------|-----|--------------------|---------------------|------------------------|--------|----------------|---------|--------|---------------|----------------------|---------------|----------------------|-------------------|------------------|------|----------|---------|-----|-----|------|-------|---------|--|--|--|
|      |     |                    |                     |                        |        |                |         | LEFT   | RIGHT         | FOLD-RE-ING MOVE (T) | STANDARD LOCK | EURO - NO LOCKFITTED | +EURO - HALF LOCK | EURO - FULL LOCK | HIGH | MID HIGH | MID LOW | LOW | TOP | LEFT | RIGHT | BOT-TOM |  |  |  |
|      |     |                    |                     |                        |        | London         | X       | S      |               |                      |               |                      |                   |                  |      |          |         |     |     |      |       |         |  |  |  |
|      |     |                    |                     |                        |        | London         |         |        |               |                      |               |                      |                   |                  |      |          |         |     |     |      |       |         |  |  |  |
|      |     |                    |                     |                        |        | London         |         |        |               |                      |               |                      |                   |                  |      |          |         |     |     |      |       |         |  |  |  |
|      |     |                    |                     |                        |        | London         |         |        |               |                      |               |                      |                   |                  |      |          |         |     |     |      |       |         |  |  |  |
|      |     |                    |                     |                        |        | London         |         |        |               |                      |               |                      |                   |                  |      |          |         |     |     |      |       |         |  |  |  |

**\*Note:** Viewed from inside **\*\*Note:** \*Please ensure you complete the Hinge Aside order form  
 Measurements are in mm and denote overall sizes. The product will be manufactured to the sizes provided; no further deduction for tolerances will be applied. Exchange or return is not possible.  
 \*Drilling - Indicate: F=Face, R=Reveal, N=Undrilled  
 please enter F, R or N in above boxes

## SPECIAL REQUIREMENTS

**FOR OFFICE USE ONLY:**

|               |              |         |                 |               |
|---------------|--------------|---------|-----------------|---------------|
| ACCOUNT CODE  | ORDER NUMBER | ISSUE:1 | C&P NOV 2017    | MNFG DATE     |
| TIME RECEIVED | D&T PLNG     | ROUTE   | A B C D E F G H | DESPATCH DATE |
| D&T PROCESSED | D&T FAXED    |         |                 | DELIVERY DATE |

# RAL Colours

## Standard range of RAL colours (FOC)



RAL 9016



RAL 9010



RAL 1015



RAL 9005



RAL 7016



RAL 8014

## Other RAL colours available on request (may be subject to a surcharge)



RAL 1001



RAL 1013



RAL 3020



RAL 5002



RAL 5003



RAL 5005



RAL 5010



RAL 5013



RAL 5015



RAL 6000



RAL 6002




RAL 6005



RAL 6021



RAL 7015



RAL 7024



RAL 7035



RAL 7037



RAL 7047



RAL 8015




RAL 8019



RAL 9006



RAL 9007



RAL 9017

## More colour options...

Can't find the colour you're looking for? We offer Powder Coating in any RAL colour!\* Give us a call on **020 8545 0404** to find out more.

\*Can be ordered on 5kg, 10kg and 20kg boxes – prices on request.

## Other products C&P Security offer...

C&P Security Products Limited have been manufacturing a wide range of high quality security products since 2006 and are proud to be the only dedicated manufacture to the trade only.



AWNINGS & BRACKETS



FABRICATIONS



DRIVEWAY GATES  
& RAILINGS



POWDER COATING



SECURITY GATES  
& GRILLES



SHUTTERS

Based at our factory in Wimbledon, London, we offer a wide range of bespoke products along with a wealth of experience in the physical security market and a passion for quality and service.

Each product is custom made and everything can be tailored to fit the exact requirements of the customer. With a state of the art powder coating oven and spray back booth, we can powder coat to our customers' specification, in house, saving our customers time and money.

**COMING SOON: SPRING 2022**

**OUR FULL RANGE OF AWNINGS!**



- New for 2022 a full range of awnings from ERHARDT and AVZ.
- Set sizes available for same week delivery.
- Or a full range of awnings in a wide range of RAL colours and fabrics.
- Also available is a range of awning brackets.
- Speak with our office to be included on our mailing list.

### Order Forms & Price List

Full range of order forms can be downloaded at:  
[candpsecurity.co.uk/downloads](https://candpsecurity.co.uk/downloads)

For our current price list, please contact the office  
at [admin@candpsecurity.co.uk](mailto:admin@candpsecurity.co.uk)

 020 8545 0404

 [candpsecurity.co.uk](https://candpsecurity.co.uk)

 [sales@candpsecurity.co.uk](mailto:sales@candpsecurity.co.uk)

